



Fulton County, GA

Department of Purchasing & Contract Compliance

March 19, 2014

Re: Bid #14ITB0356K-NH Standby Miscellaneous Construction Water System Services

Dear Vendors:

Attached is one (1) copy of Addendum 1, hereby made a part of the above referenced Bid #14ITB0356K-NH Standby Miscellaneous Construction Water System Services. Please note: the bid due date has been changed to **Friday, March 28, 2014 at 11:00 AM.**

Except as provided herein, all terms and conditions in the **Bid** referenced above remain unchanged and in full force and effect.

Sincerely,

Nancy Harrison, CPPB
Assistant Purchasing Agent

Attachment: Bid Form (Pages 1-13)

Winner 2000 - 2009 Achievement of Excellence in Procurement Award • National Purchasing Institute



This Addendum forms a part of the contract documents and **modifies** the original Bid documents as noted below:

Modifications to Drawings and Specifications:

Section 2, Bid Form, replace the Bid Form with the attached Bid Form.

Section 01025, Page 176, Article 1.28, delete Paragraph A in its entirety and replace with new Paragraph A as follows:

- “A. The following labor and equipment are included in the Bid for when the County needs manpower or additional equipment to assist in making emergency repairs other than those specified above as unit price items. Hourly rate items below shall NOT apply when work is performed under non-emergency conditions. The Notice to Proceed for each project will indicate emergency or non-emergency project status. On emergency projects, the contractor shall have a representative on site within 2 hours of notification to assess the work to be performed and have emergency work crews on site with the proper equipment within 4 hours of the original notification.”

ACKNOWLEDGEMENT OF ADDENDUM NO. 1

The undersigned proposer acknowledges receipt of this addendum by returning one (1) copy of this form with the proposal package to the Department of Purchasing & Contract Compliance, Fulton County Public Safety Building, 130 Peachtree Street, Suite 1168, Atlanta, Georgia 30303 by the Bid due date and time **Friday, March 28, 2014; 11:00 A.M.**

This is to acknowledge receipt of Addendum No. 1, _____ day of _____, 2014.

Legal Name of Bidder

Signature of Authorized Representative

Title

BID FORM

Submitted To: Fulton County Government

Submitted By: _____

For: Bid #XXX, 2014 Standby Miscellaneous Construction-Water System Services
Submitted on _____, 2014.

The undersigned, as Bidder, hereby declares that the only person or persons interested in the Bid as principal or principals is or are named herein and that no other person than herein mentioned has any interest in this Bid or in the Contract to be entered into; that this Bid is made without connection with any other person, company or parties making a Bid; and that it is in all respects fair and in good faith without collusion or fraud.

The Bidder further declares that he has examined the site of the work and informed himself fully in regard to all conditions pertaining to the place where the work is to be done; that he has examined the Drawings and Specifications for the work and contractual documents relative thereto, and has read all instructions to Bidders and General Conditions furnished prior to the openings of bids; that he has satisfied himself relative to the work to be performed.

The Bidder proposes and agrees, if this Bid is accepted, to contract with the Board of Commissioners of Fulton County, Atlanta, Georgia, in the form of contract specified, to furnish all necessary materials, equipment, machinery, tools, apparatus, means of transportation and labor necessary, and to complete the construction of the work in full and complete accordance with the shown, noted, and reasonably intended requirements of the Specifications and Contract Documents to the full and entire satisfaction of the Board of Commissioners of Fulton County, Atlanta, Georgia, with a definite understanding that no money will be allowed for extra work except as set forth in the attached General Conditions and Contract Documents for the following prices.

THE BASE BID IS THE AMOUNT UPON WHICH THE BIDDER WILL BE FORMALLY EVALUATED AND WHICH WILL BE USED TO DETERMINE THE LOWEST RESPONSIBLE BIDDER.

The base bid may not be withdrawn or modified for a period of sixty (60) days following the receipt of bids.

BASE BID AMOUNT (Do not include any Bid Alternates)

\$ _____
(Dollar Amount In Numbers)

(Dollar Amount in Words)

Make sure that all line items below are accurately calculated and total up to the inclusive BASE BID TOTAL amount entered on Page 1.

Method of Bidding

The unit or lump sum price for each of the several items in the Bid of each Bidder shall include its pro rata share of overhead and profit so that the sum of the products, obtained by multiplying the quantity shown for each item by the unit price, represents the total Bid. Any Bid not conforming to this requirement may be rejected. Additionally, Unbalanced Bids or conditional Bids will be subject to rejection. The special attention of all Bidders is called to this provision, for should conditions make it necessary to revise the quantities, no limit will be fixed for such increased or decreased quantities nor extra compensation allowed.

ITEM 1 - CONTRACTOR MOBILIZATION/ DEMOBILIZATION

a.	5	Each	For Each Project Less Than \$25,000	\$ 500.00/EA	\$ <u>2,500.00</u>
b.	10	Each	For Each Project \$25,000 to \$75,000	\$ 1,000.00/EA	\$ <u>10,000.00</u>
c.	7	Each	For Each Project Greater Than \$75,000	\$ 1,500.00/EA	\$ <u>10,500.00</u>

ITEM 2 - 6-INCH DIP WATER MAIN

a.	1500	L.F.	0.0 - 8.0 Foot Depth	\$ _____/L.F.	\$ _____
b.	200	L.F.	8.1 - 16.0 Foot Depth	\$ _____/L.F.	\$ _____

ITEM 3 - 6-INCH RJ-DIP WATER MAIN

a.	500	L.F.	0.0 - 8.0 Foot Depth	\$ _____/L.F.	\$ _____
b.	50	L.F.	8.1 - 16.0 Foot Depth	\$ _____/L.F.	\$ _____

ITEM 4 - 8-INCH DIP WATER MAIN

a.	1500	L.F.	0.0 - 8.0 Foot Depth	\$ _____/L.F.	\$ _____
b.	50	L.F.	8.1 - 16.0 Foot Depth	\$ _____/L.F.	\$ _____
c.	60	L.F.	Installed in 16-inch Steel Casing	\$ _____/L.F.	\$ _____

ITEM 5 - 8-INCH RJ-DIP WATER MAIN

a.	1000	L.F.	0.0 - 8.0 Foot Depth	\$ _____/L.F.	\$ _____
b.	50	L.F.	8.1 - 16.0 Foot Depth	\$ _____/L.F.	\$ _____
c.	60	L.F.	Installed in 16-inch Steel Casing	\$ _____/L.F.	\$ _____

ITEM 6 - 10-INCH DIP WATER MAIN

a.	1500	L.F.	0.0 - 8.0 Foot Depth	\$ _____/L.F.	\$ _____
b.	50	L.F.	8.1 - 16.0 Foot Depth	\$ _____/L.F.	\$ _____
c.	60	L.F.	Installed in 16-inch Steel Casing	\$ _____/L.F.	\$ _____

ITEM 7 - 10-INCH RJ-DIP WATER MAIN

- | | | | | | |
|----|------|------|-----------------------------------|---------------|----------|
| a. | 1000 | L.F. | 0.0 - 8.0 Foot Depth | \$ _____/L.F. | \$ _____ |
| b. | 50 | L.F. | 8.1 - 16.0 Foot Depth | \$ _____/L.F. | \$ _____ |
| c. | 60 | L.F. | Installed in 16-inch Steel Casing | \$ _____/L.F. | \$ _____ |

ITEM 8 - 12-INCH DIP WATER MAIN

- | | | | | | |
|----|------|------|-----------------------------------|---------------|----------|
| a. | 1500 | L.F. | 0.0 - 8.0 Foot Depth | \$ _____/L.F. | \$ _____ |
| b. | 50 | L.F. | 8.1 - 16.0 Foot Depth | \$ _____/L.F. | \$ _____ |
| c. | 60 | L.F. | Installed in 18-inch Steel Casing | \$ _____/L.F. | \$ _____ |

ITEM 9 - 12-INCH RJ-DIP WATER MAIN

- | | | | | | |
|----|------|------|-----------------------------------|---------------|----------|
| a. | 1000 | L.F. | 0.0 - 8.0 Foot Depth | \$ _____/L.F. | \$ _____ |
| b. | 50 | L.F. | 8.1 - 16.0 Foot Depth | \$ _____/L.F. | \$ _____ |
| c. | 60 | L.F. | Installed in 18-inch Steel Casing | \$ _____/L.F. | \$ _____ |

ITEM 10 - 16-INCH DIP WATER MAIN

- | | | | | | |
|----|-----|------|-----------------------------------|---------------|----------|
| a. | 600 | L.F. | 0.0 - 8.0 Foot Depth | \$ _____/L.F. | \$ _____ |
| b. | 50 | L.F. | 8.1 - 16.0 Foot Depth | \$ _____/L.F. | \$ _____ |
| c. | 60 | L.F. | Installed in 24-inch Steel Casing | \$ _____/L.F. | \$ _____ |

ITEM 11 - 16-INCH RJ-DIP WATER MAIN

- | | | | | | |
|----|-----|------|-----------------------------------|---------------|----------|
| a. | 400 | L.F. | 0.0 - 8.0 Foot Depth | \$ _____/L.F. | \$ _____ |
| b. | 50 | L.F. | 8.1 - 16.0 Foot Depth | \$ _____/L.F. | \$ _____ |
| c. | 60 | L.F. | Installed in 24-inch Steel Casing | \$ _____/L.F. | \$ _____ |

ITEM 12 - FITTINGS

- | | | | | | |
|----|----|-----|----------|-------------|----------|
| a. | 40 | Ton | Fittings | \$ _____/TN | \$ _____ |
|----|----|-----|----------|-------------|----------|

ITEM 13 - FIRE HYDRANTS

- | | | | | | |
|----|----|------|--------------------------|---------------|----------|
| a. | 40 | Each | Fire Hydrant Assembly | \$ _____/EA | \$ _____ |
| b. | 20 | L.F. | Hydrant Extension | \$ _____/L.F. | \$ _____ |
| c. | 6 | Each | Salvage Existing Hydrant | \$ _____/EA | \$ _____ |

ITEM 14 – VALVES

a.	5	Each	6-Inch Gate Valve	\$ _____/EA	\$ _____
b.	15	Each	8-Inch Gate Valve	\$ _____/EA	\$ _____
c.	5	Each	10-Inch Gate Valve	\$ _____/EA	\$ _____
d.	15	Each	12-Inch Gate Valve	\$ _____/EA	\$ _____
e.	2	Each	16-Inch Butterfly Valve	\$ _____/EA	\$ _____
f.	25	Each	Valve adjustments in Pavement (0-5')	\$ _____/EA	\$ _____
g.	15	Each	Valve adjustments in Pavement (5' or greater)	\$ _____/EA	\$ _____
h.	25	Each	Valve adjustments out of Pavement (0-5')	\$ _____/EA	\$ _____
i.	15	Each	Valve adjustments out of Pavement (5' or greater)	\$ _____/EA	\$ _____

ITEM 15 - CONNECTIONS TO EXISTING WATER LINES – TAPPING SLEEVE & VALVE

a.	5	Each	8 x 8 Tapping Sleeve & Valve	\$ _____/EA	\$ _____
b.	1	Each	10 x 8 Tapping Sleeve & Valve	\$ _____/EA	\$ _____
c.	1	Each	10 x 10 Tapping Sleeve & Valve	\$ _____/EA	\$ _____
d.	1	Each	12 x 8 Tapping Sleeve & Valve	\$ _____/EA	\$ _____
e.	1	Each	12 x 10 Tapping Sleeve & Valve	\$ _____/EA	\$ _____
f.	5	Each	12 x 12 Tapping Sleeve & Valve	\$ _____/EA	\$ _____
g.	1	Each	16 x 8 Tapping Sleeve & Valve	\$ _____/EA	\$ _____
h.	1	Each	16 x 10 Tapping Sleeve & Valve	\$ _____/EA	\$ _____
i.	1	Each	16 x 12 Tapping Sleeve & Valve	\$ _____/EA	\$ _____
j.	1	Each	16 x 16 Tapping Sleeve & Valve	\$ _____/EA	\$ _____

ITEM 16 - CONNECTIONS TO EXISTING WATER LINES – CUT IN CONNECTIONS

a.	10	Each	Cut In Connection on 8-Inch Line	\$ _____/EA	\$ _____
b.	10	Each	Cut In Connection on 10-Inch Line	\$ _____/EA	\$ _____
c.	10	Each	Cut In Connection on 12-Inch Line	\$ _____/EA	\$ _____
d.	2	Each	Cut In Connection on 16-Inch Line	\$ _____/EA	\$ _____

ITEM 17 - CONNECTIONS TO EXISTING WATER LINES – STRAIGHT CONNECTIONS

a.	10	Each	Straight Connection on 8-Inch Line	\$ _____/EA	\$ _____
b.	10	Each	Straight Connection on 10-Inch Line	\$ _____/EA	\$ _____
c.	10	Each	Straight Connection on 12-Inch Line	\$ _____/EA	\$ _____
d.	2	Each	Straight Connection on 16-Inch Line	\$ _____/EA	\$ _____

ITEM 18 - ABANDON EXISTING WATER MAIN

a.	5	Each	Cut and Plug / Deadman Restraint 1 ½ to 6-Inch Line	\$ _____/EA	\$ _____
b.	10	Each	Cut and Plug / Deadman Restraint 8 to 12-Inch Line	\$ _____/EA	\$ _____
c.	1	Each	Cut and Plug / Deadman Restraint 16-Inch Line	\$ _____/EA	\$ _____

ITEM 19 - WATER SERVICE CONNECTIONS

a.	50	Each	New Service Setup – Rome Type Box	\$ _____/EA	\$ _____
b.	50	Each	New Service Setup – Double Gulf Box	\$ _____/EA	\$ _____
c.	250	L.F.	New 1-Inch Service Line	\$ _____/L.F.	\$ _____
d.	25	L.F.	New 1-1/2-Inch Service Line	\$ _____/L.F.	\$ _____
e.	25	L.F.	New 2-Inch Service Line	\$ _____/L.F.	\$ _____

ITEM 20 - WATER SERVICE CHANGEOVERS

a.	100	Each	Changeover Setup	\$ _____/EA	\$ _____
b.	500	L.F.	Replace Existing with 1-Inch Service Line	\$ _____/L.F.	\$ _____
c.	50	L.F.	Replace Existing with 1-1/2-Inch Service Line	\$ _____/L.F.	\$ _____
d.	50	L.F.	Replace Existing with 2-Inch Service Line	\$ _____/L.F.	\$ _____
e.	10	Each	Water Meter Relocation	\$ _____/EA	\$ _____

ITEM 21 - 4 or 5-FOOT DIAMETER PRECAST VALVE VAULT OR MANHOLE

a.	30	V.F.	0.0 - 8.0 Foot Depth	\$ _____/V.F.	\$ _____
b.	10	V.F.	Greater than 8 Foot Depth	\$ _____/V.F.	\$ _____

ITEM 22 - BORE AND JACK CASING

a.	100	L.F.	16-Inch Steel Casing With 8-Inch DIP Carrier Pipe	\$ _____/L.F.	\$ _____
b.	100	L.F.	16-Inch Steel Casing With 10-Inch DIP Carrier Pipe	\$ _____/L.F.	\$ _____
c.	100	L.F.	18-Inch Steel Casing With 12-Inch DIP Carrier Pipe	\$ _____/L.F.	\$ _____
d.	50	L.F.	24-Inch Steel Casing With 16-Inch DIP Carrier Pipe	\$ _____/L.F.	\$ _____

ITEM 23 - STORM DRAIN PIPE

a.	20	L.F.	12-Inch RCP	\$ _____/L.F.	\$ _____
b.	20	L.F.	12-Inch CMP	\$ _____/L.F.	\$ _____
c.	20	L.F.	15-Inch RCP	\$ _____/L.F.	\$ _____
d.	20	L.F.	15-Inch CMP	\$ _____/L.F.	\$ _____
e.	20	L.F.	18-Inch RCP	\$ _____/L.F.	\$ _____
f.	20	L.F.	18-Inch CMP	\$ _____/L.F.	\$ _____

ITEM 24 - EROSION AND SEDIMENTATION CONTROL

a.	5	Each	Construction Exits	\$ _____/EA	\$ _____
b.	3,000	L.F.	Reinforced Silt Fence (Type C)	\$ _____/L.F.	\$ _____
c.	300	Each	Hay Bale Check Dams	\$ _____/EA	\$ _____
d.	20	Each	Stone Check Dams	\$ _____/EA	\$ _____
e.	20	Each	Inlet Sediment Traps	\$ _____/EA	\$ _____
f.	100	Each	Pigs-in-a-Blanket	\$ _____/EA	\$ _____
g.	50	S.Y.	Type 1 Rip Rap with Filter Fabric Underlay	\$ _____/S.Y.	\$ _____
h.	50	S.Y.	Type 3 Rip Rap with Filter Fabric Underlay	\$ _____/S.Y.	\$ _____
i.	1	Each	Box Gabion (Surge Stone Fill with Filter Fabric Underlay) - 3' x 3' x 6' Baskets	\$ _____/EA	\$ _____
j.	1,000	L.F.	Tree Protection Fence	\$ _____/L.F.	\$ _____

ITEM 25 - VEGETATION RESTORATION

a.	3,000	S.Y.	Temporary Seeding (All Types)	\$ _____/S.Y.	\$ _____
b.	3,000	S.Y.	Permanent Seeding (All Types)	\$ _____/S.Y.	\$ _____
c.	1,000	S.Y.	Sod Grassing (All Types)	\$ _____/S.Y.	\$ _____
d.	1,000	S.Y.	Hydroseeding	\$ _____/S.Y.	\$ _____

ITEM 26 - TEMPORARY STREAM CROSSING - FOR CONTRACTOR ACCESS

a.	1	Each	Up To 15-Feet From Top of Bank to Top of Bank	\$ _____/EA	\$ _____
b.	1	Each	15 to 25-Feet From Top of Bank to Top of Bank	\$ _____/EA	\$ _____
c.	1	Each	25 to 40-Feet From Top of Bank to Top of Bank	\$ _____/EA	\$ _____
d.	1	Each	Over 40-Feet From Top of Bank to Top of Bank	\$ _____/EA	\$ _____

ITEM 27 - TEMPORARY STREAM CROSSING - PIPELINE CROSSES STREAM

a.	1	Each	Up To 15-Feet From Top of Bank to Top of Bank	\$ _____/EA	\$ _____
b.	1	Each	15 to 25-Feet From Top of Bank to Top of Bank	\$ _____/EA	\$ _____
c.	1	Each	25 to 40-Feet From Top of Bank to Top of Bank	\$ _____/EA	\$ _____
d.	1	Each	Over 40-Feet From Top of Bank to Top of Bank	\$ _____/EA	\$ _____

ITEM 28 - TRENCH EXCAVATION AND STABILIZATION – AS ORDERED BY THE ENGINEER

a.	500	C.Y.	Trench Stabilization With Suitable Earth Materials	\$ _____/C.Y.	\$ _____
b.	300	C.Y.	Trench Stabilization With Crusher Run	\$ _____/C.Y.	\$ _____
c.	500	C.Y.	Trench Stabilization With Crushed Stone (#57)	\$ _____/C.Y.	\$ _____
d.	50	C.Y.	Trench Stabilization With M-10 Sand	\$ _____/C.Y.	\$ _____
e.	250	C.Y.	Trench Rock Excavation and Removal – Base Cost	\$ 40.00 / C.Y.	\$ _____
f.	250	C.Y.	Trench Rock Excavation and Removal – Premium Cost	\$ _____/C.Y.	\$ _____

ITEM 29 - EASEMENT CLEARING AND GRUBBING

a.	200	L.F.	Clear 20-Foot Wide Easement - Light	\$ _____/L.F.	\$ _____
b.	200	L.F.	Clear 20-Foot Wide Easement - Medium	\$ _____/L.F.	\$ _____
c.	100	L.F.	Clear 20-Foot Wide Easement - Heavy	\$ _____/L.F.	\$ _____

ITEM 30 - DRIVEWAY AND ROAD REPAIR AND REPLACEMENT

a.	50	S.Y.	Gravel Driveway Replacement	\$ _____/S.Y.	\$ _____
b.	60	S.Y.	Asphalt Driveway Replacement	\$ _____/S.Y.	\$ _____
c.	100	S.Y.	Concrete Driveway Replacement – Residential	\$ _____/S.Y.	\$ _____
d.	100	S.Y.	Concrete Driveway Replacement - Commercial	\$ _____/S.Y.	\$ _____
e.	400	S.Y.	Concrete Sidewalk	\$ _____/S.Y.	\$ _____
f.	200	L.F.	Concrete Curb and Gutter	\$ _____/L.F.	\$ _____
g.	100	L.F.	Granite Curb	\$ _____/L.F.	\$ _____
h.	200	S.Y.	Asphalt Pavement Removal and Replacement (Type A Cut Repair)	\$ _____/S.Y.	\$ _____
i.	1,000	S.Y.	Complete Fulton County Standard Utility Cut (Type C Cut Repair)	\$ _____/S.Y.	\$ _____
j.	3,000	S.Y.	Road Surface Milling	\$ _____/S.Y.	\$ _____
k.	3,000	S.Y.	Road Surface Overlay	\$ _____/S.Y.	\$ _____

ITEM 31 - PAVEMENT MARKING AND STRIPING

a.	10	L.F.	4- or 5-Inch Std. DOT Striping - Thermoplastic	\$ _____/L.F.	\$ _____
b.	10	L.F.	4- or 5-Inch Std. DOT Striping - Paint	\$ _____/L.F.	\$ _____
c.	10	L.F.	Std. DOT Stop Bar - Thermoplastic	\$ _____/L.F.	\$ _____
d.	10	L.F.	Std. DOT Stop Bar - Paint	\$ _____/L.F.	\$ _____

ITEM 32 - TRAFFIC CONTROL

a.	100	L.F.	Std. DOT Concrete Barrier	\$ _____/L.F.	\$ _____
b.	20	Each/Day	MUTCD Std. Safety Barrel	\$ _____/EA/DY	\$ _____
c.	80	Hours	Police Cruiser	\$ _____/HR	\$ _____
d.	80	Hours	Certified Flagman	\$ _____/HR	\$ _____
e.	80	Hours	Light Plant	\$ _____/HR	\$ _____
f.	10	Days	Electronic Message Board	\$ _____/DY	\$ _____

ITEM 33 - REMOVE AND REPLACE EXISTING FENCE

a.	20	L.F.	4-Foot High Chain Link	\$ _____/L.F.	\$ _____
b.	20	L.F.	6-Foot High Chain Link	\$ _____/L.F.	\$ _____
c.	20	L.F.	6-Foot High Wood	\$ _____/L.F.	\$ _____

ITEM 34 - CAST IN PLACE CONCRETE

a.	40	C.Y.	Structural Concrete	\$ _____/C.Y.	\$ _____
b.	40	C.Y.	Concrete Thrust Collars on 6- to 12-Inch Pipe	\$ _____/C.Y.	\$ _____
c.	40	C.Y.	Concrete Thrust Collars on 16- to 24-Inch Pipe	\$ _____/C.Y.	\$ _____
d.	80	C.Y.	Concrete Thrust Blocking and/or Encasement	\$ _____/C.Y.	\$ _____
e.	1	Ton	Reinforcing Steel	\$ _____/TN	\$ _____

ITEM 35 - PROGRAMMABLE ELECTRONIC MARKING DEVICES

a.	300	Each	Line Marker Balls - 3M 1423-XR-ID	\$ _____/EA	\$ _____
----	-----	------	-----------------------------------	-------------	----------

ITEM 36 - UTILITY LOCATION – EXCAVATION AND BACKFILL

a.	60	Hours	Soft Dig Hydro Excavation	\$ _____/HR	\$ _____
b.	200	C.Y.	Exploratory Excavation	\$ _____/C.Y.	\$ _____

ITEM 37 – WATER LINE MAINTENANCE SIGN

a.	10	Each	Water Line Maintenance Sign	\$ _____/EA	\$ _____
----	----	------	-----------------------------	-------------	----------

ITEM 38 - CASH ALLOWANCES

a.	Soils, Concrete, Asphalt, Materials, and Water Quality Testing	\$ 20,000.00
b.	Utility Conflict Resolution	\$ 20,000.00
c.	Large Tree Removal (18-Inch Diameter and Above)	\$ 20,000.00
d.	Preblast Survey/Inspection and Blasting Monitoring	\$ 20,000.00

ITEM 39 – EMERGENCY SERVICES - AS DIRECTED BY ENGINEER\CONSTRUCTION
 MANAGER

The following labor and equipment are included for when the County needs manpower or additional equipment to assist in making emergency repairs other than those specified above as unit price items. Hourly rate items below shall **NOT** apply when work is performed under non-emergency conditions. The Notice to Proceed for each project will indicate emergency or non-emergency project status. On emergency projects the contractor shall have a representative on site within 2 hours of notification to assess the work to be performed and have emergency work crews on site with the proper equipment within 4 hours of the original notification.

a.	40	Hours	Water Superintendent with Pickup Truck	\$ _____/HR	\$ _____
b.	40	Hours	Water Crew Truck - Fully Equipped with tools and repair parts including but not limited to pipe saw, wacker-packer, chain saw, and miscellaneous hand tools, including water foreman and three laborers.	\$ _____/HR	\$ _____
c.	40	Hours	Rubber Tired Front End Loader With Trailer and Operator	\$ _____/HR	\$ _____
d.	40	Hours	Rubber Tired Backhoe With Trailer and Operator	\$ _____/HR	\$ _____
e.	40	Hours	Excavator With Trailer and Operator	\$ _____/HR	\$ _____
f.	40	Hours	Trench Compactor With Operator	\$ _____/HR	\$ _____
g.	40	Hours	Mobile Air Compressor With Hoses and Air Tools (Jackhammer, Pavement Breaker, Clay Spade, etc.)	\$ _____/HR	\$ _____

The Bidder agrees hereby to commence work under this Contract, with adequate personnel and equipment, on a date to be specified in a written order of the Contracting Officer and to fully complete all work under this Contract within the agreed upon days specified in a written Notice To Proceed for each project.

The Bidder declares that he understands that the quantities shown for the unit prices items are subject to either increase or decrease, and that should the quantities of any of the items of work be increased, the Bidder proposes to do the additional work at the unit prices stated herein; and should the quantities be decreased, the Bidder also understands that payment will be made on the basis of actual quantities at the unit price bid and will make no claim for anticipated profits for any decrease in quantities; and that actual quantities will be determined upon completion of work, at which time adjustments will be made to the contract amount by direct increase or decrease.

Fulton County reserves the right to award this contract to one or more qualified vendors. The amount of each contract that is issued will be a portion of the overall bid total based on available funding.

In case of discrepancies between the figures shown in the unit prices and the totals, the unit prices shall apply and the totals shall be corrected to agree with the unit prices. In case of discrepancies between written amounts and figures, written amounts shall take precedence over figures and the sum of all Bid extensions (of unit prices) plus lump sum items shall take precedence over BID TOTAL.

The Bidder furthermore agrees that, in the case of a failure on his part to execute the Contract Agreement and Bonds within ten (10) days after receipt of conformed contract documents for execution, the Bid Bond accompanying his bid and the monies payable thereon shall be paid into the funds of the Owner as liquidated damages for such failure.

Enclosed is a Bid Bond in the approved form, in the sum of: _____

_____ Dollars

(\$ _____) according to the conditions of "Instructions to Bidders" and provisions thereof.

The undersigned acknowledges receipt of the following addenda (list by the number and date appearing on each addendum) and thereby affirms that its Bid considers and incorporates any modifications to the originally issued Bidding Documents included therein.

ADDENDUM # _____ DATED _____

